



GB 99/02090


The
Patent
Office

POL/003 07 M 2 0 3 0



INVESTOR IN PEOPLE

09/736023



The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP9 1RH

PRIORITY DOCUMENT


SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



P. Mahoney

Signed

Dated 17 May 1999


THIS PAGE BLANK (USPTO)

BEST AVAILABLE COPY

Patents Act 1977
(Rule 16)

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)



06JUL98 E373378-4 002892
P01/7700 25.00 - 9814507.1

The Patent Office

Cardiff Road
Newport
Gwent NP9 1RH

1. Your reference SJA/50727/000

2. Patent application number **9814507.1** **5-3 JUL 1998**
(The Patent Office will fill in this part)

3. Full name, address and postcode of the or of each applicant (underline all surnames) **UNIVERSITY OF SOUTHAMPTON**
Highfield
Southampton
SO17 1BJ
United Kingdom

Patents ADP number (if you know it)

79847000.2

If the applicant is a corporate body, give the country/state of its incorporation

United Kingdom

4. Title of the invention **A METHOD AND APPARATUS FOR CONTROLLING PESTS**

5. Name of your agent (if you have one) **BOULT WADE TENNANT**
27 FURNIVAL STREET
LONDON
EC4A 1PQ

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

Patents ADP number (if you know it)

42001

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country	Priority application number (if you know it)	Date of filing (day/month/year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application	Date of filing (day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:
a) any applicant named in part 3 is not an inventor, or
b) there is an inventor who is not named as an applicant, or
c) any named applicant is a corporate body.
See note (d)) **YES**

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document
- Continuation sheets of this form

Description 12

Claim(s) 4

Abstract -

Drawing(s) 4

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (*Patents Form 7/77*)

Request for preliminary examination and search (*Patents Form 9/77*)

Request for substantive examination (*Patents Form 10/77*)

Any other documents
(Please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature

Date

Bark Wade Tennant

3 July 1998

12. Name and daytime telephone number of person to contact in the United Kingdom
- SUSAN J. ALLARD
0171 404 5921

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 01645 500505.*
- Write your answers in capital letters using black ink or you may type them.*
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.*
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.*
- Once you have filled in the form you must remember to sign and date it.*
- For details of the fee and ways to pay please contact the Patent Office.*

A METHOD AND APPARATUS FOR CONTROLLING PESTS

5 The present invention relates to a method and apparatus for controlling pests by trapping or killing them and is particularly concerned with the control of flying or crawling insects.

The most common domestic insect pests are houseflies, mosquitoes and cockroaches.

10 The common housefly, *Musca domestica*, occurs throughout the world in domestic situations. Together with similar species, such as, the lesser housefly, blowflies and flesh flies, it contaminates food and spreads diseases, such as, typhoid and cholera, and also carries the eggs of parasitic worms.

15 The housefly is also a problem on refuse tips and is becoming a progressively greater nuisance in agriculture, where it breeds in deep litter breeding units for poultry and other animals.

20 The cockroach is ubiquitous in urban situations in the tropics and sub-tropics and is common in heated buildings in Europe and North America where food is prepared. Large cockroach populations are found in sewers and drains and many disease organisms have been isolated from them.

25 The mosquito is both a severe nuisance pest and vastly important as a vector for blood-borne diseases, such as, malaria, yellow fever and dengue.

30 Control of such insect pests is becoming more urgent as human populations increase and provide more resources for them to breed.

Insecticide use inevitably encourages the evolution of resistance. In the United Kingdom as in many other countries, prolonged attempts to control houseflies in animal rearing system have led to the increasing incidence of flies which are resistant to

the major insecticides in common use.

Control of insects in areas where food is prepared depends upon scrupulous hygienic procedures, periodic fumigation with insecticides and/or the use of traps.

There is increasing public pressure throughout Europe for the development of environmentally acceptable pest control measures in which synthetic insecticides are not used.

W094/00980 describes a method of controlling pests, such as insects, involving the use of electrostatically charged powders, in which the powders are used to adhere to the insect cuticle and also act as carriers for pesticides or other biologically active compounds. The electrostatically charged particles also adhere to the feet of the insects, blocking the mechanism by which they grip surfaces thereby making it possible to trap the insects as they slide down an inclined surface.

The disadvantages of the use of electrostatically charged particles is that they must be charged before use, for example by friction, and they lose their charge rapidly in conditions of high humidity and when moisture films develop. Furthermore, the particles are removed from bait stations or traps by wind currents, or by shaking.

We have now developed a method and apparatus for controlling pests which involves the use of particles which are permanently magnetised and are not affected by moisture or humidity and which, when anchored or a conducting or magnetic surface, will remain in position for long periods of time without losing their effectiveness. Although electrostatically charged particles adhere to the cuticles of insects, it is surprising that ferromagnetic particles also adhere to

the cuticles of insects and this is a surprising and unexpected effect.

Accordingly, the present invention provides a method of controlling pests, such as insects, by trapping and/or killing them wherein at least a part of a pest to be trapped or killed is exposed to a composition comprising particles containing or consisting of at least one magnetic material.

In carrying out the method of the present invention the pests are exposed to particles which either contain or consist wholly of a magnetic material, such as a ferromagnetic oxide. Ferromagnetic oxides are often termed ferrites which is a generic term describing a class of magnetic oxide compounds that contain iron oxide as a primary component. The spinel ferrites have the general composition MFe_2O_4 and are isostructural with the mineral spinel, $MgAl_2O_4$. M in the formula is generally Mg, Mn, Co, Ni, Zn or Cu, or mixtures thereof. A second group of ferrites is the hexagonal ferrites which are a group of ferromagnetic oxides in which the principal component is Fe_2O_3 in combination with a divalent metal oxide such as BaO, SrO or PbO and a divalent transition-metal oxide. A third group of ferrites is the garnets which have the general structure $M_3Fe_5O_{12}$. The metal M may be, for example, Y, La, Ca, the rare earth metals or other large cations.

Preferred materials for use in the present invention are strontium ferrite which is a hard magnetic material, optionally in admixture with a ferrosilicate or neodymium barium salts. Soft magnetic materials, such as Fe, Fe_2O_3 or ferrosilicates may also be used if they have been magnetised or become magnetised on admixture with hard magnetic

materials.

The particles which are used in the present invention preferably have an average particle size diameter in the range of from 2 to 100 micrometres, preferably 3 to 50 micrometres. Generally the particles are applied to a surface in an area in which pests are present.

The composition which is used in the present invention may consist wholly of the magnetic particles. Alternatively, the composition may comprise a proportion of the magnetic material in admixture with one or more other components. For example, the magnetic particles may be admixed with one or more filler materials such as talc, silicon dioxide, diatomaceous earth, ferrosilicates and the like. Alternatively, the magnetic particles may be admixed with particles which contain one or more pesticides or behaviour modifying chemicals. Generally, the magnetic particles will comprise at least 10% of the composition, preferably at least 50% by weight of the composition.

Insects adhere to smooth or inclined surfaces using adhesives organs on their feet. These organs are pads covered with numerous fine hairs with flattened tips. An oily substance is secreted onto the tips of the hairs and surface molecular forces ensure adhesion of the hairs to the surface on which the insect is standing. Accordingly, as the feet of an insect become covered in particles, the insect loses its ability to adhere to a smooth and, in particular, to an inclined surface. Furthermore, the particles also interfere with the insect's sense organs, which may cause the insect to groom more frequently.

In the case of flying insects, it is known that

the flight reflex is inhibited by contact of the feet with any substrate. Accumulation of the particles on the insect's feet tend to inhibit the flight and the adhesion of the insect which is thus more likely to
5 fall from an inclined surface. Accordingly, a flying insect having landed on a suitably coated and inclined surface is thus unlikely to fly away and simply will slide down the surface.

The magnetic particles which are used in the
10 method of the present invention may consist solely of the magnetic material. Alternatively, the particles may be composite particles which comprise a core of an inert substrate which is impregnated with and/or coated with the magnetic material. The inert
15 substrate is a material which acts as a carrier for the magnetic material and which is chemically and biologically inert. Examples of suitable inert substrates for use in the present invention are silicon dioxide, magnesium silicate (talc),
20 diatomaceous earth, cellulose or natural or synthetic polymers such as chitin, chitosan or rubber, or aerogels.

The inert substrate may additionally have a pesticide or a behaviour modifying chemical
25 impregnated thereon or associated therewith, for example by adsorption thereon. The amount of pesticide or behaviour modifying chemical which is impregnated into or associated with the inert substrate will generally comprise at least 0.1% by
30 weight of the inert substrate. The amount of the pesticide or behaviour modifying chemical will depend upon the intended release rate from the composition and the length of intended duration of release.

The pesticide which may be incorporated into the
35 composite particles or incorporated into the

composition used in the invention may be specifically targeted to the control of particular pests. For example, an insecticide may be applied to sexually mature male insects so that it spreads amongst the rest of the population during mating, or by contact during swarming. The insecticide is unlikely to spread to other species of insect when transmitted in this way.

Each pesticide may be chosen to have a narrow spectrum of action. Entomopathogens are particularly well suited to this. A further embodiment is to use a behaviour modifying chemical, for example a specific attractant to attract insects to the particles. For example, the attractant may be a sexual pheromone. Furthermore, a sexual attractant pheromone may be used to produce male confusion. This technique depends on the very high sensitivity of male insects to volatile sex attractants produced by females of the same species.

As the insects contact the magnetic particles the particles are picked up by the insect from the surface on which the particles are located. The particles are then transferred to the body parts of the insect by movement and during grooming. The particles remain in place and continue to release the pesticide or behaviour modifying chemical, such as a pheromone. Accordingly, the composite particles which may be used in the method of the present invention have a dual effect. Not only does the magnetic material impregnated into or coated onto the inert substrate have an effect on the orientation and stability of the insects, but the pesticide or behaviour modifying chemical will produce a second effect which is associated with the particular nature of the pesticide or behaviour modifying chemical incorporated into the

composite particles.

It will be understood that by the term "pesticide" as used therein is meant any substance which can be used in the control of agricultural, natural environmental and domestic pests, such as insects. Included within this term, therefore, are naturally occurring or synthetic chemical insecticides, fungicides, acaricides, insect growth regulators and chemosterilants; entomopathogens such as bacteria, viruses and fungi. The term "behaviour modifying chemicals" includes within its scope the pheromones, allomones, kairomones, parapheromones and food odours.

The present invention furthermore includes within its scope a first pesticidal composition in particulate form which comprises composite particles each comprising a core of an inert substrate having a pesticide or behaviour modifying chemical impregnated thereon or associated therewith and the core being impregnated or coated with a ferromagnetic oxide. The composite particles are as described above in relation to the method of the invention.

The present invention still further includes within its scope a second pesticidal composition in particulate form which comprises particles containing or consisting of a magnetic material in admixture with particles which contain or consist of one or more pesticides or behaviour modifying chemicals.

Furthermore, in a further embodiment of the present invention provides an insect trap which comprises a housing, a zone of the housing or a zone within the housing comprising a magnetically polarized material and the said zone being coated with a composition comprising particles containing or consisting of a magnetic material of opposite polarity

to that of the magnetically polarized material.

5 The insect trap of the present invention has a
zone of a magnetically polarized material which may
form a portion of one or more walls of the housing, or
10 may be provided as a separate insert within the
housing. The zone of the magnetically polarized
material may be formed, for example, from a plastic
material which is impregnated with a ferromagnetic
oxide which is magnetically polarized. Alternatively,
15 the zone may itself be formed solely from the
magnetically polarized material. The zone of the
magnetically polarized material has an opposite
polarity to the polarity of the magnetic material
which is coated onto the said zone. Preferably the
20 zone has a surface which is inclined to the horizontal
and, as described above, this will assist in
disrupting the orientation of the insects which walk
or crawl over the zone.

25 The insect trap may include a trapping zone into
which the insects fall when they becomes established
after contact with the particles containing or
consisting of the magnetic material. The trapping
zone may include a fluid, a powder, a desiccant, a
chemical toxicant or an adhesively sticky or tacky
30 surface, or any combination thereof, for retaining the
insects therein.

 The immobilised and trapped insects may be left
to die or they may be removed for destruction or
study.

35 The insect trap of the present invention may be
provided with means to lure the insects into the
housing. Insect lures are well known and may
comprise, for example, a light source with some
emission in the ultraviolet range, or a chemical
stimulant such as a natural or synthetic pheromone

attractant, or an odour normally associated with the insects' food or food plant.

It will be appreciated that the insect traps of the present invention can be produced cheaply and
5 insect destabilization and knock down may be achieved without the use of electrical grids. Pollution problems arising from the use of toxic chemicals are eliminated or greatly reduced because any pesticide contained in the composite particles which may be used
10 in the present invention are applied only in the area of the trap and not generally to the location of the pest. The trap may be recharged with additional magnetic powder when the original powder charge has been used up by insects contacting the powder.
15 Furthermore, when the trap of the present invention is used with composite particles which also incorporate a pesticide or a behaviour modifying chemical then the present invention provides an efficient method of killing insects by ensuring that the pesticide reaches
20 the insects more effectively and remains in place for longer periods, or alternatively provides a means by which the behaviour of the insects is disrupted, thereby disrupting the mating and reproductive cycles of the insects.

25 The present invention will be further described with reference to the accompanying drawings in which:-

Figure 1A is a plan view of an insect trap in accordance with the present invention;

30 Figure 1B is a cross section along the line A-A of the trap of Figure 1A with a lid positioned thereover; and

Figure 1C is a cross section along the line B-B of the trap of Figure 1A with a lid positioned thereover.

35 Figure 2 illustrates the percentage coverage of

powder on the body parts of *Blattella germanica* over time as described in Example 2 herein below; and

Figure 3 illustrates the loss of magnetic powder from the bodies of cockroaches over time.

5 Referring to the drawings, a cockroach trap is illustrated in Figures 1A, 1B and 1C. The trap comprises an elongate body 1 having a trapping area 2 formed in the centre thereof. The trapping area 2 is bounded on two sides thereof by two longitudinally
10 extending walls 3 which are of a sufficient height to prevent the cockroaches from climbing over them. Ramped surfaces 4 extend downwardly from the tops of each of the walls. The top edges of the longitudinally extending walls 3 are provided with
15 recesses 5 which are designed to support an elongate bridging plate 6. The bridging plate 6 is constructed from a plastic material containing a proportion of a ferromagnetic material to make it weakly magnetic. The top surface of bridging plate 6 is dusted with a
20 ferromagnetic powder.

As shown in Figures 1B and 1C the trap has a lid 7 which is held in place by magnetic studs (not shown) positioned at the ends of the ramped surfaces 4.

25 An odorous attractant is placed in the trapping area 2. A cockroach attracted by the attractant walks up the ramped surface and then onto the bridging plate 6. The bridging plate has inwardly curved surfaces 8. When the cockroach walks on the surface of the plate 6 the magnetic powder with which the plate 6 is coated
30 adheres to the cockroach's feet, blocking the insect's adhesive pads and causing it to slip down the curved surface 8 into the trapping area 2. The trapping area may be provided with a glue pad 9 to which the cockroach becomes adhered.

35 Th opening between the ramped surface 4 and the

lid 7 is such that a cockroach can climb up the ramped surface, for example when the trap is placed adjacent a wall 10.

5 When the trap is full of cockroaches, it may be closed by pushing the lid off the magnetic studs. The trap can then be emptied for reuse, or disposed of.

The present invention will be further described with reference to the following Examples.

10

EXAMPLE 1

A surface was coated with a composition comprising 10% by weight of strontium ferrite and 90% by weight of a ferrosilicate. The particles had an
15 average particle diameter in the range of from 5 to 100 micrometres. Houseflies (*Musca domestica*) were allowed to walk over the surface of the powder for 3 to 5 minutes after which the powder coating was spread over most of their body parts by their own grooming
20 activities. They continued grooming whilst trying to dislodge the particles and were unable to walk on a sloping plastic surface without slipping with every movement. This behaviour continued for 4 days until all of the flies were dead. A coating of the powder
25 was clearly visible on their wings and bodies. A similar result was obtained using cockroaches (*Blattella germanica*).

EXAMPLE 2

30

Adult cockroaches (*Blattella germanica*) were exposed to the ferromagnetic oxide powder as described in Example 1 and the density of the particles on the thorax was determined by sacrificing ten insects at
35 intervals of up to 178.5 hours and counting the

particles under the microscope. The results are given
in Figure 2 which shows an initial exponential loss
rate of the powder (mainly larger particles) after
which the density of the powder on the surface of the
5 insects remains fairly constant.

EXAMPLE 3

The procedure of Example 1 was repeated using
10 strontium ferrite powder. The loss of powder with
time is plotted in Figure 3. It can be seen that
after an initial decline in the amount of powder
remaining attached to the cockroach's bodies, a fairly
steady state is reached after about 60 hours with only
15 a further slight tailing off with time.

CLAIMS:

1. A method of controlling pests, such as insects, by trapping and/or killing them wherein at least a part of a pest to be trapped or killed is exposed a composition comprising particles containing or consisting of at least one magnetic material.
2. A method as claimed in claim 1 wherein the particles have an average particle size diameter in the range of from 2 to 100 μ m.
3. A method as claimed in claim 1 or claim 2 wherein the magnetic material is a ferromagnetic oxide.
4. A method as claimed in any one of the preceding claims wherein the particles are applied to a surface in an area in which pests are present, preferably a surface which is inclined to the horizontal.
5. A method as claimed in any one of the preceding claims wherein the composition comprised at least 10% by weight of magnetic particles.
6. A method as claimed in any one of the preceding claims wherein the particles are composite particles which comprise a core of an inert substrate which is impregnated with and/or coated with the magnetic material.
7. A method as claimed in claim 6 wherein the core comprises silicon dioxide, magnesium silicate, diatomaceous earth, cellulose or a natural or

synthetic polymer.

8. A method as claimed in claim 6 or claim 7 wherein the inert substrate has a pesticide or
5 behaviour modifying chemical impregnated thereon or associated therewith.

9. A method as claimed in claim 8 wherein the
10 pesticide is an insecticide, fungicide, acaricide, insect growth regulator or chemosterilant.

10. A method as claimed in any one of claims 1 to 8 wherein the pesticide is a bacterium, virus or
15 fungus.

11. A method as claimed in any one of claims 1 to 8 wherein the behaviour modifying chemical is a
pheromone.

12. A method as claimed in any one of claims 7
20 to 11 wherein the pesticide or behaviour modifying chemical comprises at least 0.1% by weight of the cores of the particles.

13. A pesticidal composition in particulate form
25 which comprises composite particles each comprising a core of an inert substrate having a pesticide or behaviour modifying chemical impregnated thereon or associated therewith and the core being impregnated or
30 coated with a magnetic material.

14. A pesticide composition as claimed in claim
13 wherein the core comprises silicon dioxide,
magnesium silicate, diatomaceous earth, cellulose or a
35 natural or synthetic polymer.

15. A pesticidal composition in particulate form which comprises particles containing or consisting of a magnetic material in admixture with a pesticide or behaviour modifying chemical.

5

16. A pesticide composition as claimed in any one of claims 13 to 15 wherein the pesticide is an insecticide, fungicide, acaricide, insect growth regulator or chemosterilant.

10

17. A pesticide composition as claimed in any one of claims 13 to 15 wherein the pesticide is a bacterium, virus or fungus.

15

18. A pesticide composition as claimed in any one of claims 13 to 15 wherein the behaviour modifying chemical is a pheromone.

20

19. A pesticide composition as claimed in any one of claims 13 to 18 wherein the pesticide or behaviour modifying chemical comprises at least 0.1% by weight of the cores of the particles.

25

20. A pesticide composition as claimed in any one of claims 13 to 19 wherein the magnetic material is a ferromagnetic oxide.

30

21. An insect trap which comprises a housing, a zone of the housing or a zone within the housing comprising a magnetically polarized material and the said zone being coated with a composition comprising particles containing or consisting of a magnetic material of opposite polarity to that of the magnetically polarized material.

35

22. An insect trap as claimed in claim 21 wherein the zone of the magnetically polarized material is formed by a portion of at least one wall of the housing.

5

23. An insect trap as claimed in claim 21 or claim 22 wherein the zone of the magnetically polarized material comprises a removable insert placed within the housing.

10

24. An insect trap as claimed in claim 21 or claim 22 wherein the zone has a surface which is inclined to the horizontal.

15

25. An insect trap as claimed in any one of claims 21 to 24 wherein the magnetic material is a ferromagnetic oxide.

20

26. An insect trap as claimed in any one of claims 21 to 25 wherein the said zone is coated with particles of a pesticidal composition as claimed in any one of claims 13 to 20.

25

27. A method as claimed in claim 1 substantially as hereinbefore described with reference to any one of the Examples.


30

28. An insect trap as claimed in claim 21 substantially as hereinbefore described with reference to and as illustrated in Figures 1A, 1B and 1C of the accompanying drawings.

1/4


Plan View

FIG 1A



Section A-A'


FIG 1B



THIS PAGE BLANK (USPTO)

FIG 1C

Cross-section B-B'






THIS PAGE BLANK (USP)

Fig 2

Coverage of powder on the body parts of *Blattella germanica* (L.) over time. Showing standard deviation bars
(data for legs is counted as particle number for 4 - 118.5 hours).






THIS PAGE BLANK

Fig 3

Loss of Powder From Cockroach (*Blattella germanica*) Thorax.



THIS PAGE BLANK (USE)